

CJR Friday Aft Session March 14, 2025

Scores after 33 boards Average: 84.0

Section A North-South

Pair	Pct	Score	Rank	
7	60.42	101.50	1	Camille Gendron - Jean Boissonnault
6	54.17	91.00	2	Bruno Laverdière - Jacques Labbé
8	52.68	88.50	3	Suzanne Sanfaçon - Marie Sanfaçon
1	52.38	88.00	4/5	Nicole Charbonneau - Claude Charbonneau
10	52.38	88.00	4/5	Roger Lévesque - Pierre Legroulx
2	51.79	87.00		Diane Thériault - Serge Grégoire
5	51.49	86.50		Gertrude Sanfaçon - Oliver Dumas
11	51.19	86.00		France Trottier - Rémi Simard
4	49.40	83.00		Carmen Caron - Jean Lapointe
9	42.86	72.00		Laurette Mercier - Gilles Mercier
3	31.25	52.50		Lise Picard - Raymond Picard

\*\*PAIRS\*\*

BOARD \ /	1	2	3	4	5	6	7	8	9	10	11
1>	5 480	-----	-----	-----	7 510	1- 450	5 480	5 480	1- 450	1- 450	1- 450
2>	- -400	-----	-----	-----	- -400	6- 50	3 -150	5 -120	3 -150	6- 50	3 -150
3>	3- -50	-----	-----	-----	3- -50	1 -100	7 100	5- 80	0 -110	2 -90	5- 80
4>	1 -100	5 600	-----	-----	-----	5 600	1 -100	3 110	1 -100	5 600	7 630
5>	3- -100	1 -130	-----	-----	-----	0 -500	2 -110	6 50	6 50	6 50	3- -100
6>	2- 400	0 -50	-----	-----	-----	2- 400	2- 400	5- 430	5- 430	2- 400	7 460
7>	4- -140	- -1100	2 -620	-----	-----	-----	- -1100	6- 100	6- 100	3 -200	4- -140
8>	2 -140	5 50	2 -140	-----	-----	-----	7 100	5 50	0 -170	5 50	2 -140
9>	4- 100	4- 100	1- -110	-----	-----	-----	4- 100	0 -300	4- 100	1- -110	7 120
10>	7 -120	4 -150	1 -500	6 -130	-----	-----	-----	4 -150	4 -150	2 -180	0 -600
11>	5 130	3- -50	2 -110	1 -130	-----	-----	-----	0 -140	3- -50	6 400	7 430
12>	7 140	3 -110	2 -200	1 -470	-----	-----	-----	6 110	0 -550	4- 50	4- 50
13>	4- -150	4- -150	2- -600	2- -600	7 200	-----	-----	-----	0 -690	6 -120	1 -630
14>	- -50	4 120	2 90	5- 130	3 110	-----	-----	-----	5- 130	- -50	7 150
15>	1- -100	7 650	3 100	5 620	0 -200	-----	-----	-----	5 620	5 620	1- -100
16>	5- 110	2- -50	0 -620	7 130	5- 110	4 100	-----	-----	-----	1 -140	2- -50

17>	2	2	0	5	2	7	----	----	----	5	5
	-50	-50	-100	420	-50	450	----	----	----	420	420
18>	1	4	0	4	4	4	----	----	----	7	4
	-100	630	-200	630	630	630	----	----	----	660	630
19>	1-	1-	1-	7	5	1-	5				5
	-50	-50	-50	100	90	-50	90	----	----	----	90
20>	2	7	3-	-	3-	5	6				-
	100	620	110	-100	110	150	200	----	----	----	-100
21>	7	4	4	0	4	4	4				1
	50	-100	-100	-400	-100	-100	-100	----	----	----	-140
22>	3-	3-	3-	3-	0	3-	7	3-			
	200	200	200	200	100	200	300	200	----	----	----
23>	6	7	1-	1-	1-	4-	4-	1-			
	-620	100	-660	-660	-660	-630	-630	-660	----	----	----
24>	7	3	5-	-	3	3	5-	-			
	100	-420	50	-450	-420	-420	50	-450	----	----	----
25>		7	5	1	6	2-	4	0	2-		
	----	480	420	170	450	200	230	140	200	----	----
26>		1-	1-	3	5	7	0	5	5		
	----	100	100	140	150	600	-110	150	150	----	----
27>		2	2	0	2	4	6	5	7		
	----	-420	-420	-450	-420	-300	-150	-200	-50	----	----
28>			4-	1	4-	7	4-	2	0	4-	
	----	----	50	-110	50	150	50	-100	-140	50	----
29>			1	6	7	3	5	1	4	1	
	----	----	-600	-130	-110	-500	-150	-600	-170	-600	----
30>			1	6	5	2	4	3	0	7	
	----	----	-110	200	170	-50	140	50	-150	420	----
31>			3-	3-	0	3-	6-	6-	1	3-	
	----	----	----	-110	-110	-420	-110	100	100	-140	-110
32>			6	1	6	6	4	0	2-	2-	
	----	----	----	100	-170	100	100	-50	-620	-140	-140
33>			6-	3	6-	4	5	1	2	0	
	----	----	----	50	-110	50	-100	-50	-170	-140	-300

CJR Friday Aft Session March 14, 2025

Scores after 33 boards Average: 84.0

Section A East-West

Pair Pct Score Rank

11	60.42	101.50	1	Thérèse Ouellet - Monique Guillot
1	55.36	93.00	2	Jacques Thibault - Pierre Gravel
8	54.46	91.50	3	Andrée Plourde - Colette Bellay
10	54.17	91.00	4	Mona Lanteigne - Majorique Fortin
2	52.08	87.50		Claudette Boudreau - Claude Ouellet

6	50.89	85.50	Johanne Bouchard - Charles Doillon	
7	48.81	82.00	Micheline Rainville - Francine Lapointe	
4	47.32	79.50	Madeleine Charland - Yolande Plante	
3	44.64	75.00	Céline Marcoux - Monique Lemieux	
5	41.07	69.00	Annie Bergeron - Claudette Genest	
9	40.77	68.50	Francine Cloutier - Yvan St-Pierre	

\*\*PAIRS\*\*

BOARD \ /	1	2	3	4	5	6	7	8	9	10	11
1>	2 -480	2 -480	-----	2 -480	-----	5- -450	-----	5- -450	0 -510	5- -450	5- -450
2>	6- 400	4 150	-----	2 120	-----	4 150	-----	- -50	6- 400	4 150	- -50
3>	3- 50	0 -100	-----	1- -80	-----	7 110	-----	5 90	3- 50	1- -80	6 100
4>	6 100	2 -600	4 -110	-----	6 100	-----	2 -600	-----	0 -630	2 -600	6 100
5>	5 110	6 130	1 -50	-----	1 -50	-----	1 -50	-----	3- 100	7 500	3- 100
6>	4- -400	7 50	1- -430	-----	1- -430	-----	4- -400	-----	0 -460	4- -400	4- -400
7>	6- 1100	- -100	5 620	- -100	-----	4 200	-----	2- 140	-----	2- 140	6- 1100
8>	2 -50	2 -50	5 140	7 170	-----	2 -50	-----	5 140	-----	5 140	0 -100
9>	2- -100	7 300	5- 110	2- -100	-----	5- 110	-----	0 -120	-----	2- -100	2- -100
10>	3 150	6 500	3 150	1 130	5 180	-----	7 600	-----	0 120	-----	3 150
11>	7 140	5 110	3- 50	6 130	1 -400	-----	0 -430	-----	2 -130	-----	3- 50
12>	1 -110	5 200	7 550	6 470	2- -50	-----	2- -50	-----	0 -140	-----	4 110
13>	4- 600	7 690	4- 600	1 120	0 -200	6 630	-----	2- 150	-----	2- 150	-----
14>	5 -90	1- -130	1- -130	6- 50	4 -110	0 -150	-----	6- 50	-----	3 -120	-----
15>	4 -100	2 -620	2 -620	2 -620	7 200	5- 100	-----	5- 100	-----	0 -650	-----
16>	-----	0 -130	6 140	1- -110	4- 50	3 -100	1- -110	-----	4- 50	-----	7 620
17>	-----	2 -420	2 -420	5 50	2 -420	0 -450	5 50	-----	5 50	-----	7 100
18>	-----	3 -630	0 -660	3 -630	3 -630	3 -630	6 100	-----	3 -630	-----	7 200
19>	0 -100	-----	2 -90	2 -90	5- 50	5- 50	2 -90	5- 50	-----	5- 50	-----



1>	5.79 400	-----	-----	-----	-----	4.07 -50	2.36 -100	6.93 430	4.07 -50	0.64 -200	0.64 -200	-----
2>	0.07 -200	-----	-----	-----	-----	6.36 150	6.36 150	1.21 50	3- 100	3- 100	3- 100	-----
3>	0.64 -140	-----	-----	-----	-----	2.36 -110	5.79 110	4.07 100	4.07 100	6.93 200	0.64 -140	-----
4>	3- 680	3- 680	-----	-----	-----	-----	0.07 650	3- 680	3- 680	6.93 1100	3- 680	-----
5>	2.36 -90	4.64 50	-----	-----	-----	-----	4.64 50	0.07 -200	6.93 150	1.21 -100	4.64 50	-----
6>	6.93 430	3- 150	-----	-----	-----	-----	3- 150	1.21 120	3- 150	5.79 180	0.07 -50	-----
7>	6.93 690	2.36 -100	2.36 -100	-----	-----	-----	-----	2.36 -100	4.64 650	5.79 660	0.07 -200	-----
8>	1.79 150	1.79 150	6.36 480	-----	-----	-----	-----	4.64 450	3- 420	0.07 -100	6.36 480	-----
9>	5.21 460	1.79 450	0.07 -50	-----	-----	-----	-----	5.21 460	5.21 460	5.21 460	1.79 450	-----
10>	2.93 -110	1.21 -140	5.21 200	0.07 -600	-----	-----	-----	-----	2.93 -110	6.93 800	5.21 200	-----
11>	3- 450	0.07 200	3- 450	3- 450	-----	-----	-----	-----	3- 450	6.93 480	3- 450	-----
12>	4.64 630	4.64 630	0.07 -100	4.64 630	-----	-----	-----	-----	4.64 630	1.21 600	4.64 630	-----
13>	0.07 -180	6.93 200	4.64 100	4.64 100	2.36 -110	-----	-----	-----	-----	4.64 100	1.21 -150	-----
14>	6.36 170	3- 140	6.36 170	4.64 150	0.07 90	-----	-----	-----	-----	1.79 130	1.79 130	-----
15>	0.07 -490	1.21 -480	6.93 150	3- -400	4.64 50	-----	-----	-----	-----	2.36 -460	5.79 100	-----
16>	2.36 -50	5.79 130	0.64 -100	0.64 -100	4.07 110	6.93 180	-----	-----	-----	-----	4.07 110	-----
17>	0.07 -100	5.21 460	2.36 400	5.21 460	6.93 490	3- 430	-----	-----	-----	-----	1.21 -50	-----
18>	5.21 100	0.07 -400	6.93 150	2.93 50	2.93 50	5.21 100	-----	-----	-----	-----	1.21 -170	-----
19>	4.07 480	0.07 200	4.07 480	4.07 480	4.07 480	1.21 420	6.93 800	-----	-----	-----	-----	-----
20>	5.79 100	0.64 -150	0.64 -150	3- -120	3- -120	3- -120	6.93 300	-----	-----	-----	-----	-----
21>	5.79 110	0.64 -200	4.07 100	6.93 150	0.64 -200	4.07 100	2.36 -100	-----	-----	-----	-----	-----
22>	3 -660	3 -660	3 -660	7 -130	3 -660	3 -660	3 -660	3 -660	-----	-----	-----	-----
23>	0	3-	2	1	6-	5	3-	6-	-----	-----	-----	-----

	-200	100	90	-100	150	120	100	150	----	----	----	----
24>	0	4	1-	6-	4	1-	6-	4				
	140	480	200	510	480	200	510	480	----	----	----	----
25>		3-	6-	2	3-	0	6-	1	5			
	----	140	420	110	140	-200	420	-50	170	----	----	----
26>		2	5-	5-	5-	0	2	2	5-			
	----	-140	100	100	100	-170	-140	-140	100	----	----	----
27>		0	4	4	4	4	4	4	4			
	----	450	480	480	480	480	480	480	480	----	----	----
28>			1	4-	7	2-	6	4-	2-	0		
	----	----	-200	-100	150	-110	100	-100	-110	-400	----	----
29>			6	1-	6	0	3	4	1-	6		
	----	----	110	-120	110	-150	-100	100	-120	110	----	----
30>			3	0	6	3	6	1	6	3		
	----	----	420	110	450	420	450	200	450	420	----	----
31>				1	4	1	6-	1	4	6-	4	
	----	----	----	50	100	50	140	50	100	140	100	----
32>				7	2-	0	2-	2-	5-	5-	2-	
	----	----	----	420	-50	-170	-50	-50	170	170	-50	----
33>				4-	4-	4-	4-	1	0	4-	4-	
	----	----	----	140	140	140	140	110	-100	140	140	----
34>					4.07	0.07	4.07	1.21	4.07	6.93	4.07	
	----	----	----	----	620	-550	620	150	620	650	620	----
35>					3-	6.93	1.79	0.07	5.79	1.79	4.64	
	----	----	----	----	-660	200	-690	-1370	-150	-690	-600	----
36>					3-	5.79	2.36	0.64	4.64	6.93	0.64	
	----	----	----	----	120	210	-100	-200	150	600	-200	----

CJR Friday Aft Session March 14, 2025

Scores after 36 boards Average: 84.0 Section B East-West

Pair	Pct	Score	Rank	
5	60.16	101.07	1	Lise Jacob - Armand Gosselin
9	58.71	98.63	2	Jacinthe Bouchard - Robert Sanfaçon
2	53.24	89.44	3	Pauline Champoux - René Lesage
1	52.85	88.78	4	Pauline Morneau - Fernand Routhier
10	51.85	87.11	5	Thérèse Éthier - Gilles Turgeon
3	51.76	86.95		Murielle Lord - Mimi Des Roches
4	51.51	86.54		Pauline Tremblay - Michel Giguère
7	50.67	85.13		Monique Belzile - Huguette Bérubé
11	47.04	79.03		Micheline Lasnier - Marcel Lejeune
8	43.20	72.57		Danielle Trudel - Ls-Philippe Tremblay
6	39.84	66.93		Colette Girard - Gérard Chevalier
12	39.55	66.45		Réjeanne Goulet - Germaine Bérubé

\*\*PAIRS\*\*

BOARD V	1	2	3	4	5	6	7	8	9	10	11	12
1>	1.21 -400		0.07 -430		2.93 50		6.36 200		6.36 200	2.93 50		4.64 100
2>	6.93 200		5.79 -50		3- -100		3- -100		3- -100	0.64 -150		0.64 -150
3>	6.36 140		2.93 -100		2.93 -100		0.07 -200		6.36 140	4.64 110		1.21 -110
4>	3- -680	3- -680		3- -680		0.07 -1100		3- -680			6.93 -650	3- -680
5>	6.93 200	2.36 -50		0.07 -150		5.79 100		2.36 -50			2.36 -50	4.64 90
6>	5.79 -120	3- -150		3- -150		1.21 -180		6.93 50			3- -150	0.07 -430
7>	4.64 100	2.36 -650	4.64 100		1.21 -660		6.93 200				0.07 -690	4.64 100
8>	5.21 -150	3- -420	0.64 -480		6.93 100		0.64 -480				5.21 -150	2.36 -450
9>	5.21 -450	1.79 -460	6.93 50		1.79 -460		5.21 -450				1.79 -460	1.79 -460
10>	4.07 110	1.79 -200	0.07 -800	6.93 600		1.79 -200				4.07 110		5.79 140
11>	3- -450	3- -450	0.07 -480	3- -450		3- -450				3- -450		6.93 -200
12>	2.36 -630	6.93 100	5.79 -600	2.36 -630		2.36 -630				2.36 -630		2.36 -630
13>	2.36 -100	2.36 -100	2.36 -100	5.79 150	4.64 110				6.93 180		0.07 -200	
14>	0.64 -170	5.21 -130	2.36 -150	5.21 -130	6.93 -90				0.64 -170		3- -140	
15>	0.07 -150	4.64 460	3- 400	1.21 -100	2.36 -50				6.93 490		5.79 480	
16>		6.36 100	2.93 -110	2.93 -110		0.07 -180		4.64 50		1.21 -130		6.36 100
17>		1.79 -460	5.79 50	0.07 -490		3- -430		6.93 100		1.79 -460		4.64 -400
18>		4.07 -50	5.79 170	4.07 -50		1.79 -100		1.79 -100		6.93 400		0.07 -150
19>	2.93 -480		2.93 -480		5.79 -420	2.93 -480	0.07 -800		6.93 -200		2.93 -480	
20>	3- 120		3- 120		3- 120	1.21 -100	0.07 -300		6.36 150		6.36 150	
21>	0.07 -150		6.36 200		2.93 -100	1.21 -110	4.64 100		6.36 200		2.93 -100	
22>		4 660		4 660	4 660	4 660	4 660	4 660		4 660		0 130

23>	-	2	7	3-	3-	-	5	6		
	----- -150	----- -120	200	-100	-100	-150	----- -90	----- 100		
24>	3	5-	7	-	3	3	5-	-		
	----- -480	----- -200	-140	-510	-480	-480	----- -200	----- -510		
25>	3-	7	-	3-	6	-	2	5		
	-140	----- 200	----- -420	-140	50	-420	-170	----- -110	-----	
26>	1-	7	5	5	5	1-	1-	1-		
	-100	----- 170	----- 140	140	140	-100	-100	----- -100	-----	
27>	3	3	3	7	3	3	3	3		
	-480	----- -480	----- -480	-450	-480	-480	-480	----- -480	-----	
28>	4-	1	2-	6	4-	2-	7	0		
	----- 110	----- -100	----- 100	200	110	100	400	----- -150		
29>	7	4	3	1	5-	5-	1	1		
	----- 150	----- 100	----- -100	-110	120	120	-110	----- -110		
30>	4	1	6	4	1	7	4	1		
	----- -420	----- -450	----- -200	-420	-450	-110	-420	----- -450		
31>	6	-	6	3	6	-	3	3		
	-50	----- -140	----- -50	----- -100	-50	-140	-100	-100	-----	
32>	7	4-	4-	1-	0	1-	4-	4-		
	170	----- 50	----- 50	----- -170	-420	-170	50	50	-----	
33>	2-	2-	6	7	2-	2-	2-	2-		
	-140	----- -140	----- -110	----- 100	-140	-140	-140	-140	-----	
34>	2.93	5.79	2.93	0.07	2.93	2.93	6.93			
	----- -620	----- -150	----- -620	----- -650	-620	-620	550	-----		
35>	5.21	6.93	1.21	5.21	3-	2.36	0.07			
	----- 690	----- 1370	----- 150	----- 690	660	600	-200	-----		
36>	4.64	6.36	2.36	0.07	3-	6.36	1.21			
	----- 100	----- 200	----- -150	----- -600	-120	200	-210	-----		